

LIBERTY SCIENCE COACHING

LIFE · BUSINESS · HEALTH ADVISORY · METABOLIC NEUROPLASTICITY

12995 N Oracle Rd #141-135
Tucson, AZ 85737 • (520) 275-8755
libertysciencecoaching.com

Taxonomy: 71400000X

EVIDENCE BRIEF: Metabolic Switching — The Clinical Benefits

What the cycle actually does, graded by human clinical evidence. Micro moves and macro design: challenge, then recover.

Authored by: Vera Shury, MS · ACE Certified Health Coach · HeartMath Certified Practitioner · PWR!Moves Instructor

1. What “The Switch” Is

After liver glycogen runs down — typically 12 or more hours without food in most adults, sooner if accompanied by structured movement — the body transitions from glucose utilization to fat oxidation and the ketone β -hydroxybutyrate (BHB). That transition is the metabolic switch.

Intermittent metabolic switching, or *cyclic metabolic switching* in Prof. Mark Mattson’s 2025 Nature Metabolism framework, is the repeated oscillation between the challenge state and the fed recovery state so that synaptic and cellular growth pathways are activated.

CHALLENGE HALF (CELLULAR HOUSEKEEPING)

- AMPK & Sirtuins (SIRT1/SIRT3) activation
- Autophagy & damaged protein clearance
- β -hydroxybutyrate (BHB) fuel & epigenetic signaling
- Down-regulated insulin and quiet mTOR

RECOVERY HALF (SYNAPTIC CONSTRUCTION)

- Food, restorative rest, and deep sleep
- mTOR & muscle/brain protein synthesis rise
- Mitochondrial biogenesis (PGC-1 α)
- New synaptic connections consolidated

Clinical Note: A continuous ketogenic diet or an unbroken calorie restriction lowers weight without giving the cell both halves. The scientific literature confirms: **the cycle is the point.**

2. Evidence Hierarchy & Grading Standards

To preserve clinical integrity and protect patients from online wellness exaggerations, findings are graded as follows:

- **Human, repeated:** Supported by multiple randomized controlled trials (RCTs) or umbrella meta-analyses.
- **Human, emerging:** Genuine human trials with smaller sample sizes, showing measurable biomarker signals.
- **Animal or mechanism:** Conclusive in cell or rodent models; explicitly never marketed as a guaranteed human outcome.
- **Not shown or oversold:** Claims of human immortal longevity, "prevents Alzheimer's," or multi-week starvation.

3. Benefits with Repeated Human Clinical Support

A. Adiposity & Visceral Fat Reduction

Umbrella reviews of RCTs demonstrate consistent reductions in body weight, BMI, and fat mass under intermittent fasting protocols versus standard care. Alternate-day fasting frequently reduces caloric intake more than time-restricted eating and mobilizes visceral adipose tissue. Time-restricted eating (12–16 hour windows) demonstrates substantially superior long-term adherence.

B. Insulin Sensitivity & Metabolic Flexibility

Metabolic switching represents biological practice at utilizing fat reserves immediately following glucose depletion. Human trials confirm substantial drops in fasting insulin and improved HOMA-IR in overweight and insulin-resistant cohorts. The seminal Sutton et al. (Cell Metabolism) early time-restricted feeding study demonstrated dramatic improvements in insulin sensitivity, β -cell responsiveness, and blood pressure over five weeks *completely independent of weight loss*.

C. Blood Pressure, Vascular Tone, and Lipid Profiles

Meta-analyses report average reductions in systolic and diastolic arterial pressure, paired with reductions in circulating triglycerides and LDL particles during structured fasting windows.

D. Exercise Flips the Same Switch

Sustained or interval movement depletes glycogen, elevates serum BHB and lactate, and upregulates BDNF and PGC-1 α without requiring a patient to skip dinner. For executive coaching and neurological patients, **movement plus an overnight gap plus restorative sleep** provides the widest safety margin.

4. Benefits That Are Real but Mixed in Humans

CLINICAL DOMAIN	WHAT THE HUMAN CLINICAL DATA ACTUALLY SHOW
BDNF (Brain-Derived Neurotrophic Factor)	A 2024 systematic review of 16 human IF/CR trials showed: 5 raised BDNF, 5 lowered it, 6 were neutral. Massive animal hippocampal surges (50–400%) do not reliably manifest in serum. BDNF elevation is achieved far more predictably by combining HeartMath coherence + PWR!Moves exercise .
Cognitive Acuity & Executive Focus	In older insulin-resistant adults, 8 weeks of 5:2 and a Healthy Living diet both improved memory and executive scores. A 15-day complete fast actually impaired attention metrics. Overnight 12–14 hr fasting windows paired with walks protect focus without cognitive penalties.
Mood & Emotional Regulation	Patients typically report clarity post-adaptation. However, initial days may present hunger and irritability (de Cabo & Mattson, NEJM). This is why Liberty Science initiates clients with autonomic coherence and post-meal walks rather than aggressive 20-hour fasts.
Gut-Brain Axis & Microbiota	In obesity trials, cyclic fasting altered gut microbial diversity and correlated with improved executive scores. Microglial inflammatory tone is mitigated in animal models. Promising emerging science.
Autophagy in Human Tissue	A 2025 fasting-mimicking diet trial verified measurable peripheral autophagy flux, paired with improved ketone generation and insulin sensitivity. Legitimate biological signal.

5. Clinical Safety & Non-Candidates

CONTRAINDICATIONS — WHO SHOULD NOT USE FASTING AS THE PRIMARY SWITCH:

- **Pregnancy, breastfeeding, or trying to conceive:** Always clinician first; fasting is not indicated.
- **History of eating disorders:** Skipping meals can be an illness wearing a wellness disguise.
- **Insulin-treated diabetes or hypoglycemia:** Meal timing drastically alters insulin clearance. Medical supervision mandatory.
- **Complex medications:** Anticoagulants, bipolar medications (asenapine), or pyridostigmine-type drugs require precise food timing.
- **Frailty, severe sarcopenia, or active oncology therapy:** Lean body mass and bone density are primary preservation imperatives.

6. Liberty Science Metabolic & Dietary Protocol

THE THREE-PILLAR PROTOCOL SEQUENCE (VERA SHURY METHOD)

- 1. HeartMath Coherence First:** Shift autonomic tone to 0.10 Hz HRV coherence. Chronic sympathetic overdrive blocks neuroplastic reorganization. Coherence establishes the baseline.
- 2. The Brain-Body Movement Loop:** Functional neuromuscular training (Strength4Balance, PWR!Moves, Parkinson'sstrength™) delivers the biochemical triggers (BHB, lactate, PGC-1α) that prime motor circuits.
- 3. Metabolic Switching & Nutrition Plan:** An overnight 12 to 14-hour "kitchen-closed" window, accompanied by whole anti-inflammatory foods, adequate high-leucine protein during the recovery half, and objective supplement audits.

7. Peer-Reviewed Citations & Bibliography

1. Mattson MP et al. *Intermittent metabolic switching, neuroplasticity and brain health*. Nat Rev Neurosci. 2018.
2. Mattson MP. *The cyclic metabolic switching theory of intermittent fasting*. Nature Metabolism. 2025.
3. de Cabo R, Mattson MP. *Effects of intermittent fasting on health, aging, and disease*. New England Journal of Medicine. 2019.
4. Sutton EF et al. *Early time-restricted feeding improves insulin sensitivity, blood pressure, and oxidative stress even without weight loss*. Cell Metabolism. 2018.
5. Kapogiannis D et al. *Brain responses to intermittent fasting and the Healthy Living diet in older adults*. Cell Metabolism. 2024.
6. Patikorn C et al. *Intermittent fasting and obesity-related health outcomes: umbrella review of meta-analyses of RCTs*. JAMA Network Open. 2021.
7. Alkurd R et al. *Effect of calorie restriction and intermittent fasting on BDNF and cognition in humans: systematic review*. 2024.

© Liberty Science Coaching LLC • Educational and Clinical Briefing Only. Not a substitute for primary medical care.
Healthcare Provider Inquiries: vera@libertysciencecoaching.com • (520) 275-8755 • Tucson, Arizona